

Ball Nose - 2 flutes



● Micro Grain Carbide

● WC=90 Co=10 HV30=1571 Rupture=3750N/mm² Grain Size=0.6μm



MODE	Diameter	Radius	Flute Length	Full Length	Shank Diameter	Flutes
	d	R	l	L	D	Z
SSB0102 AlTiN	1	0.5	2	50	3	2
MSB0102 AlTiN	1	0.5	2	50	4	2
SSB0152 AlTiN	1.5	0.75	3	50	3	2
MSB0152 AlTiN	1.5	0.75	3	50	4	2
SSB0202 AlTiN	2	1	4	50	3	2
MSB0202 AlTiN	2	1	4	50	4	2
SSB0252 AlTiN	2.5	1.25	5	50	3	2
MSB0252 AlTiN	2.5	1.25	5	50	4	2
SSB0302 AlTiN	3	1.5	6	50	3	2
MSB0302 AlTiN	3	1.5	6	50	4	2
MSB0352 AlTiN	3.5	1.75	7	50	4	2
MSB0402 AlTiN	4	2	8	50	4	2
SB0102 AlTiN	1	0.5	2	50	6	2
SB0152 AlTiN	1.5	0.75	3	50	6	2
SB0202 AlTiN	2	1	4	50	6	2
SB0252 AlTiN	2.5	1.25	5	50	6	2
SB0302 AlTiN	3	1.5	6	50	6	2
SB0352 AlTiN	3.5	1.75	7	50	6	2
SB0402 AlTiN	4	2	8	50	6	2
SB0452 AlTiN	4.5	2.25	9	50	6	2
SB0502 AlTiN	5	2.5	10	50	6	2
SB0552 AlTiN	5.5	2.75	11	50	6	2
SB0602 AlTiN	6	3	12	50	6	2
SB0702 AlTiN	7	3.5	14	60	8	2
SB0802 AlTiN	8	4	16	60	8	2
SB0902 AlTiN	9	4.5	18	75	10	2
SB1002 AlTiN	10	5	20	75	10	2
SB1102 AlTiN	11	5.5	22	75	12	2
SB1202 AlTiN	12	6	24	75	12	2
SB1402 AlTiN	14	7	28	100	16	2
SB1602 AlTiN	16	8	32	100	16	2
SB1802 AlTiN	18	9	36	100	20	2
SB2002 AlTiN	20	10	40	100	20	2

Application :

◎ Recommend

○ Suitable

X Not Recommend

carbon steel, Alloy steel	Pre-hardened steel	High-hardened					Stainless steel	Copper alloy	Aluminum alloy
	~45HRC	~50HRC	~55HRC	~60HRC	~65HRC				
○	◎	◎	○				○		